FIGURE 1
SHOWING ALL THE COMPONENT PARTS ARRANGED AS WOULD BE WORN IN ACTUAL OPERATION




FIGURE 2
SHOWING THE POWER SOURCE HOUSING, WITH THE RELATIVE COMPONENTS FITTED




FIGURE 3

CUTAWAY SECTION OF THE COMPRESSION SLEEVE SHOWN WHEN THE SLEEVE IS UNDER INFLATION.THE INNER WALLS OF THE SLEEVE WILL EXPAND INWARDS TOWARDS THE CENTRE THEREBY EXERTING PRESSURE ONTO AND INTO THE AREA OF THE LOWER LEG MUSCLE MASS




FIGURE 4

SHOWING THE CUTAWAY SECTION OF THE SLEEVE WITH THE BLADDER IN THE FULLY DEFLATED POSITIONAT REST IN BETWEEN A PULSING SEQUENCE





FIGURE 4

SHOWING THE CUTAWAY SECTION OF THE SLEEVE WITH THE BLADDER IN THE INFLATED POSITION PARTWAY THROUGH A PULSATOR SEQUENCE ACTION



WO 2005/016218 PCT/AU2004/001090

6/6

FIGURE 6

SHOWING A CROSS SECTION OF THE BLADDER SECTION OF THE SLEEVE PARTIALLY INFLATED.

